

ScienceDirect

## Materials Today: Proceedings

Volume 15, Part 3, 2019, Pages 416-423

## Structural and Magnetic Studies of Zn Doped Nickel Nanoferrites Synth<mark>esize by</mark> <mark>S</mark>ol-gel Auto Combustion Method

P.S. Hedaoo <sup>a</sup>, <mark>D.S. Badwaik</mark> <sup>a</sup>  $\stackrel{>}{\sim}$   $\stackrel{\boxtimes}{\sim}$  , S.M. Suryawanshi <sup>a</sup>, K.G. Rewatkar <sup>b</sup>

Show more  $\checkmark$ 

😪 Share 🍠 Cite

https://doi.org/10.1016/j.matpr.2019.04.102 ↗ Get rights and content ↗

### Abstract

A series of nanoferrites with chemical composition Ni<sub>1-X</sub>Zn<sub>X</sub>Fe<sub>2</sub>O<sub>4</sub> (X=0.0 to 1.0) have been prepared by novel microwave assisted sol-gel auto-combustion method. Structural study was performed using XRD technique revealed prepared samples has single spinel phase. Precise value of lattice parameter was determined by plotting lattice parameters versus Nelson-Riley function. The value of lattice parameter shows increasing trend with content of Zn. This behaviour of lattice parameter is due to difference in ionic radii of Zn and Ni. The values of crystallite size, experimental density, theoretical density, porosity, ionic radii, bond length and hopping length at tetrahedral (A) and octahedral (B) sites were measured from XRD data. The crystallite size of nanoparticles form XRD data is in the range 17 - 25 nm. The microstructure was also characterized by scanning electron microscopy. The magnetic behaviour was understood from B-H loop obtained using Vibrating Sample Magnetometer (VSM). It is observed that the magnetic properties change with the increase of Zn content and can be interpreted on the basis of Neel"s two sub lattice model.

## References (17)

Y. Xie et al.

Synthesis and electromagnetic properties of  $BaFe_{11.92}(LaNd)_{0.04}O_{19}$  titanium dioxide composites

Mater. Res. Bull. (2014)

R.C. Pullar Hexagonal ferrites: a review of the synthesis, properties and applications of hexaferrite ceramics

Prog. Mater. Sci. (2012)

A.C.F.M. Costa *et al.*  **Synthesis, microstructure and magnetic properties of Ni-Zn ferrites** Jour. of Magnetism and magnetic materials (2003)

S.S. Bellad et al.

Composition and frequency dependent dielectric properties of Li-Mg-Ti ferrites J Mater. Chem. Phys. (2000)

Dzmitry Kotsikau, Maria Ivanovskaya, Vladimir Pankov, Yulia Fedotova, "Structure and magnetic properties of manganese...

V. R. K. Murty, B. Vishwanathan, "Ferrites materials: Science and Technology, "Narosa Publishing...

K. Vijaya Kumar, Rapolu Sridhar, D. Ravinder, K. Rama Krishn, "Structural Properties and Electrical Conductivity of...

S. Kumar *et al.* J. Appl. Phys. (2006)

There are more references available in the full text version of this article.

## Cited by (20)

Spin dynamics investigation and structural analysis of ambient scalable Sr<sup>2+</sup> doped zirconium ferrite nanoparticles synthesized by low temperature auto combustion route 2024, Physica B: Condensed Matter

#### Show abstract $\checkmark$

Effect of hydrothermal processing duration on physical and antimicrobial properties of Mg<inf>0.2</inf>Zn<inf>0.5</inf>Mn<inf>0.3</inf> Fe<inf>2</inf>O<inf>4</inf> ferrite nanoparticles

2023, Materials Science and Engineering: B

```
Show abstract \checkmark
```

A comprehensive review on the synthesis, anticancer, antibacterial and photocatalytic applications of nanoferrites

2023, Surfaces and Interfaces

Show abstract  $\checkmark$ 

## Zinc- doped nickel ferrite nanoparticles for ESR, hyperhtermia and thier cytotoxicity in mouse muscle fibroblast (BLO-11) and human breast cancer (MDA-MB-231) cell lines

2023, Journal of Alloys and Compounds

Show abstract  $\checkmark$ 

## Physical, spectroscopic and antibacterial investigation of Mg<inf>0.3</inf>Zn<inf>0.5</inf>Mn<inf>0.2</inf>Fe<inf>2</inf>O<inf>4</inf> via temperature dependent hydrothermal approach

2023, Journal of Magnetism and Magnetic Materials

Citation Excerpt :

...It is observed from EDS investigation that there is no other elemental impurity is found. Vibrational spectroscopy could be utilized to identify the stretching and bending vibrations of tetrahedral and octahedral complexes of spinel structures, as well as the molecular structure of organic molecules. [17]. The FTIR spectra of synthesized samples at 160°C, 180°C, and 200 °C are shown in Figure 9....

Show abstract  $\checkmark$ 

# Effect of annealing temperature, annealing time, and hydrogen potential on the physical properties of Ni<inf>0.5</inf>Zn<inf>0.5</inf>Fe<inf>2</inf>O<inf>4</inf> nanoparticles 2023, Ceramics International

>

Structural and Magnetic Studies of Zn Doped Nickel Nanoferrites Synthesize by Sol-gel Auto Combustion Method - ScienceDi...

Show abstract  $\checkmark$ 

## View all citing articles on Scopus 🤊

View full text

© 2019 Elsevier Ltd. All rights reserved.

All content on this site: Copyright © 2024 Elsevier B.V., its licensors, and contributors. All rights are reserved, including those for text and data mining, AI training, and similar technologies. For all open access content, the Creative Commons licensing terms apply.